

-0,66

-0,66

-0,66

-0,66

50

0,66



7746-2001.

15150-69.

- 3

2

30631-99

1000

8865-93.

0,5S; 0,2 0,2S

10...400

; 2 -

: 1-

-0,66

-0,66

0,5S; 0,2 0,2S,

14254-96.

0

12.2.007.0-75

IP00

600

800




6,

1000, 1500

2000


- 7.

	0,66
	5
	50 60
	10; 20; 30; 40; 50; 75; 100; 150; 200; 300; 400; 600; 800; 1000; 1500; 2000
	5; 10; 15; 20; 30
	1; 0,5; 0,5S; 0,2; 0,2S




.1

10 200



.2

200, 300 400




.3

.4


200, 300 400

600 800




.5

1000, 1500 2000



.6

-0,17



-1,58 ()
-0,48 ()

.7

1000, 1500 2000

Размеры в миллиметрах

						d	h	H	L ₁	L ₂	L	S					
-0,66-1	10; 20; 30; 40; 100; 150	0,5; 0,5S	5	1	71	9,0	43	97	55	-	74	1,5	-	0,65			
	50	0,5; 0,5S												0,70			
	200	0,5S												0,65			
	50	0,5S	10											10; 15; 20	0,83		
			0,5														
			1														
	75	0,5S	10											10; 15; 20	0,80		
			0,5														
			1														
	150	0,5S	10											10; 15; 20; 30	0,75		
			0,5														
			1														
100; 200	1; 0,5	10; 15; 20	2	13,0													
200	0,5	5			10,5	47	70	72	4	0,60	0,65						
300	0,5; 0,5S									0,55	0,60						
400	0,5; 0,5S	10; 15; 20			0,60	0,65											
-0,66-2	10; 20; 30; 40; 75; 100; 150	0,5S	5	1	71	9,0	43	97	55	-	74	1,5	-	0,60			
														0,65			
														200	4	0,61	0,66
														300		0,55	0,60
	400	5	0,65	0,70													
	10; 20; 30; 40; 75; 100; 150; 200	0,2; 0,2S	5	1	1	71	9,0	43	97	55	-	74	1,5	-	0,70		
															0,75		
															50	4	0,60
300															0,65		0,70
400	5	0,65	0,70														

Размеры в миллиметрах

						d	h	H	L ₁	L ₂	L	S			
-0,66-1	200	0,5	5	3	71	10,5	43	97	47	70	72	4	0,60	0,65	
	300	0,5; 0,5S											0,55	0,60	
	400	0,5; 0,5S				0,60	0,65								
		1; 0,5	10; 15; 20	5	0,65	0,70									
	600	1; 0,5;	5; 10; 15; 20; 30	4	105	13,0	52	132	35	60	60	8	0,87	1,04	
	800	0,5S											0,90	1,07	
	1000	0,5	5; 10; 15; 20; 30	5	80	14,0	81	187	41	65	68	10	8	0,97	1,45*
														2,55**	
		0,5S												1,20	1,68*
		2,78**													
1500	0,5	0,85	1,33*												
	0,5S	1,05	1,53*												
2000	0,5	0,9	1,38*												
	0,5S			2,43**											
-0,66-2	200	0,5S	5	3	71	10,5	43	97	47	70	72	4	0,61	0,66	
	300	0,5S; 0,2;											0,70	0,75	
	400	0,2S				13,0	5	0,65	0,70						
* **															

5 . , 5 . , 150 , 5 ,
0,5S,
:
-0,66-1-5-0,5S-150/5 3 05544590.020-97.
:
-0,66-2-5-0,5S-150/5 3 05544590.020-97.